CSC:PVJ III-3

DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS WASHINGTON

Letter Circular LC-419

INFORMATION ON SEFRIGERATION

June 25, 1934

(Replaces LC-30)

The National Bureau of Standards receives numerous requests for general information on refrigeration. The Bureau's work in this field has been confined largely to the determination of the fundamental constants of refrigerating engineering, and it has, therefore, no publications dealing with refrigeration in general, and is not in a position to give consulting engineering service by correspondence. The following information, consisting largely of references, has been compiled for the purpose of answering inquiries of the kind referred to above.

Section I. Publications of the National Bureau of Standards

The following publications of the National Bureau of Standards dealing with refrigeration may be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C., at the prices stated (stamps not accepted). In ordering, give title, serial letter, and number of the publication desired.

S = Scientific Paper;
T = Technologic Paper;

C = Circular:

M = Miscellaneous Publication;

RP = Research Paper, reprint from the Journal of Research of the National Bureau of Standards.

In case price is not given the publication is no longer available for distribution but may be consulted in the "Government Depository Reference Libraries" listed in the Supplement to Circular 24, obtainable from the Superintendent of Documents, 15 ¢ per copy. Scientific Papers in bound form previous to Volume 15 were known as the "Bulletin".

| Serial | 4 | South the state of |
|----------------------|------------------|--|
| Letter | Bound | |
| <u>and</u> Number | Volume Number | - |
| 110111001 | 1741110 31 | |
| S123 | 6 | The Theory of the Hampson Liquefier (out of print). |
| S135 | 6 | Specific Heat of Some Calcium Chloride Solutions between -35° and +20°C (out of print). |
| S209 | | Latent Heat of Fusion of Ice (out of print). |
| S248 | 12 | Specific Heat and Heat of Fusion of Ice, 10¢. |
| S313 | 14 | Specific Heat of Liquid Ammonia, 10¢. |
| S314 | . 14 | Latent Heat of Pressure Variation of Liquid |
| S315 | 14 | Ammonia, 5¢. Latent Heat of Vaporization of Ammonia, 5¢. |
| S369 | 16 | Vapor Pressure of Ammonia, 10¢. |
| S419 | 17 | The Production of Liquid Air on a Laboratory |
| 0110 | Δ, | Scale (out of print). |
| S420 | 17 | Specific Volume of Liquid Ammonia, 5¢. |
| S465 | 18 | Composition, Purification, and Certain Con- |
| | | stants of Ammonia, 10¢. |
| S467 | | Specific Volume of Saturated Ammonia Vapor, 5¢. |
| S501 | 20 | Specific Heat of Superheated Ammonia Vapor, 15¢. |
| · S520 | 20 | Nonflammable Liquids for Cryostats, 10¢ |
| T180 | 14 | Causes and Prevention of the Formation of |
| • | 0 | Non-condensible Gases in Ammonia Absorption |
| DDEZO | 1.0 | Refrigerating Machines, 5¢. |
| RP538 | 10 | Vapor Pressure of Liquid and Solid Carbon Dioxide, 5¢. |
| C142 | | Tables of Thermodynamic Properties of Am- |
| | | monia, 15¢. (British units, also contains |
| | | Mollier Chart, M52). |
| M52 | | Mollier Chart of Properties of Ammonia, 5¢. (Size 9x23 inches, British units.) |
| M57 | | Large Mollier Chart (Size, 16x40 inches, |
| | · . | British units.) (Out of print.) |
| M76 | | Large Mollier Chart of Properties of Ammonia, |
| evi , | * | 10¢. (Size 39x107 cm, Metric units.) |

10 11

Section II. Books on Thermodynamics and Refrigeration

The number of pages given for each book is not always the total number of pages, but the number devoted explicitly to refrigeration. The prices, where given, are the list prices.

1. Principles of Thermodynamics, by G. A. Goodenough, Henry Holt & Co., New York, 1920; 19 pages on refrigeration (College Textbook).

2. Thermodynamics for Engineers, by J. A. Ewing; Cambridge University Press, London, 1920; 58 pages on refriger-

ation; #12.00. (College Textbook.)

3. Engineering Thermodynamics, by C. E. Lucke; McGraw-Hill Book Co., New York, 1912; 34 pages on refrigeration, \$8.00 (General Treatise.)

4. Elements of Engineering Thermodynamics, by Moyer, Calder-wood and Potter; John Wiley and Sons, New York, 1920; 16 pages on refrigeration, \$2.50. (College Textbook.)

5. Thermodynamics, by J. E. Emswiler, McGraw-Hill Book Co., New York, 1927; ll pages on refrigeration, \$3.00 (College Textbook.)

6. The Mechanical Production of Cold, by J. A. Ewing; Cambridge University Press, London, 1908; 201 pages.

(Scientific Lectures.)

7. The Elements of Refrigeration, by A. M. Greene; John Wiley & Sons, New York, 1919; 472 pages, \$4.50 (College Textbook.)

8. The Principles of Mechanical Refrigeration, by H. J.
Macintire; McGraw-Hill Book Co., New York, 2nd Edition,
1928, 315 pages, \$3.00 (for operating engineers).

9. Refrigeration, by J. A. Moyer and R. U. Fittz, McGraw-Hill Book Co., New York, 2nd Edition, 1932, 538 pages (General Treatise.)

10. Principles of Refrigeration, by W. H. Motz; Nickerson & Collins Co., Chicago, 3rd Edition, 1932, 1032 pages, \$7.50 (General Treatise.)

11. Ammonia Compression Refrigerating System, by W. S. Doan, Nickerson & Collins Co., Chicago, 1922, 186 pages, \$2.50, (for operating engineers).

12. The Absorption Refrigerating Machine - Elementary Theory and Practice, by Gardner T. Voorhees; Nickerson & Collins Co., Chicago, 158 pages, \$2.50.

13. Practical Refrigerating Engineers Pocketbook, by John E. Starr, Nickerson & Collins Co., Chicago, 1922; 186 pages, \$2.50 (for operating engineers).

14. Power's Practical Refrigeration, by L. H. Morrison;
McGraw-Hill Book Co., New York, 2nd Edition, 1928;
259 pages, \$2.50, (for operating engineers).

15. Handbook of Refrigerating Engineering, by W. R. Woolrich; D. Van Nostrand Go., New York, 1929; 329 pages, \$4.00.

16. Kent's Mechanical Engineer's Handbook; John Wiley & Sons, New York; 10th Edition, 1923; 34 pages on re-

frigeration, \$6.00.

17. Mechanical Engineers Handbook, Lionel S. Marks; McGraw-Hill Book Co., New York; 3rd Edition, 1930; 46 pages on refrigeration.

18. Handbook of Mechanical Refrigeration, by H. J. Macintire;

John Wiley & Sons, New York, 1928; 724 pages.

19. Compend of Mochanical Refrigeration and Engineering, by J. E. Siebel; Nickerson & Collins Co., Chicago, 9th Edition, 1922; 550 pages, \$10.00, (for operating engineers).

20. Ice and Refrigeration Blue Book and Buyers Guide, Nickerson & Collins Co., Chicago; 10th Edition, 1928;

\$12.00, (mainly statistical).

21. Instructions for the Operation, Care and Repair of Refrigerating Plants, U. S. Bureau of Engineering, Navy Department; 1926, 94 pages, purchasable from Superintendent of Documents, Washington, D. C., 25% (stamps not accepted).

22. Mechanical Equipment of Buildings, Vol. 2, Power plants and Refrigeration, by Harding and Willard; John Wiley & Sons, New York; 2nd Edition, 1929. (General

treatise.)

23. Bibliography of American Literature (Relating to Refrigeration, by The American Association of Ice and Refrigeration (3 volumes), Nickerson & Collins Co., Chicago.

24. Bibliography of Refrigeration, by Food Investigation
Board of British Department of Scientific and Industrial Research, 16 Old Queen Street, Westminster,
S. W., 1, London. Special Report No. 2.

25. Refrigerating Data Book and Catalog, American Society of Refrigerating Engineers, 37 West 39th St., New York, N. Y.; 1st Edition 1932-33; 435 pages, \$\frac{1}{2}.50\$, (A comprehensive compilation, designed to provide a useful source of reference for general information on all phases of refrigeration, issued biennially.)

Setting to the Use

Section III. Domestic Refrigeration

Many of the books, listed in Section II above, contain some information on this subject, item 25 in particular. Other sources of information are:

1. Household Refrigeration, by H. B. Hull, Nickerson & Collins Co., Chicago; 4th Edition, 700 pages, \$4.00.

2. Home Economics Bibliography 5 - Household Refrigeration.
This booklet contains a list of references to articles, mostly non-technical, of interest to the householder. It is obtainable free from the Bureau of Home Economics, Department of Apriculture, Washington, D. C.

This subject is treated in a general manner from the standpoint of the prospective purchaser, in Letter Circular LC 412, entitled "Domestic Electric and Gas Refrigerators", single copies of which are obtainable from the National Bureau of Standards on request.

Section IV. Insulation and Heat Transmission

Most of the books listed in Section I contain some reference to insulation. The literature of this subject is very extensive and reference may be made to the bibliography (up to 1920) included in the publication "Heat Transmission of Insulating Materials" published by the American Society of Refrigerating Engineers and obtainable from the office of the Society, 37 West 39th St., New York, N. Y., at \$2.00 per copy. A more complete bibliography, up to 1925 is included in Pennsylvania State College Engineering Experiment Station Bulletin No. 33, entitled "An Investigation of Certain Methods of Testing Heat Insulators", by E. F. Grundhofer, published June, 1925, and purchasable from the Engineering Experiment Station, State College, Pa., at twenty-five cents per copy.

Refrigerating Data Book (See Section II above, item 25) contains several tables giving data on thermal conductivity of insulating materials.

General information and data on various classes of insulating materials may be found in National Bureau of Standards Circular C376, entitled "Thermal Insulation of Buildings", obtainable only from the Superintendent of Documents, Washington, D. C., price 5¢.

The following journals and periodicals are devoted to the refrigeration and allied industries.

| $\overline{\mathrm{N}}$ | ame of Journal | Publisher | Address |
|-------------------------|----------------------------------|---|--|
| 1. | Refrigerating Engineering | American Society of Refrigerating Engineers | 37 West 39th St., New York, N. Y. |
| 2. | Refrigerating World | The Ice Trade Journal Co. | Woolworth Bldg., New York, N. Y. |
| 3. | Ice & Refriger- ation | Nickerson & Collins Co. | 5707 W. Lake St., Chicago, Ill. |
| 4. | Refrigeration | Publishing Co. | 713 Glenn St., Atlanta, Ga. |
| 5. | The Tre Creem | | 5th & Cherry Sts., Milwaukee, Wis. |
| 6. | The Ice Cream Trade Journal | Thomas D. Cutler | 171 Madison Ave., New York, N. Y. |
| 7. | Electric Refrig- eration News | Business News Pub- | 550 Maccabees Bldg., Detroit, Mich. |

Section VI. Properties of Refrigerants

Data on the thermodynamic properties of many refrigerants have been made conveniently available in the form of tables and charts. The publications listed below contain data on the properties of refrigerants.

- 1. National Bureau of Standards Circular C142, Thermodynamic Properties of Ammonia, (Tables and chart, see Section I above.)
- 2. Properties of Refrigerants, by H. D. Edwards, Refrigerating Engineering, 11, 95 (1924). (A general report containing tables of properties at saturation, effect on lubricants, etc.)
- 3. Thermodynamic Properties of Butane, Isobutane and Propane, by L. I. Dana, A. C. Jenkins, J. N. Burdick and R. C. Timm, Ref. Eng., 12, 387 (1926). (Saturation Tables).

- 4. Thermal Properties of Sulphur Dioxide, by David L. Fiske, Ref. Eng. 11, 235 (1924). (Saturation and superheat tables.)
- 5. New Tables of Refrigerant Gases, by J. B. Churchill, Ref. Eng., 26, 85 (1933). (Saturation Data on dichloromethane, dichloroethylene, trichloroethylene, and methyl formate.)
- 6. Thermodynamic Properties of Dichlorodifluoromethane, A New Refrigerant:

I. The Equation of State of Superheated Vapor, by R. M. Buffington and W. K. Gilkey, Ind. Eng. Chem. 23, 254 (1931).

II. Vapor Pressure, by W. K. Gilkey, F. W. Gerard, and M. E. Bixler, Ind. Eng. Chem., 23, 364 (1931).

by F. R. Bichowsky, and W. K. Gilkey, Ind. Eng. Chem. 23, 366 (1931).

IV. Specific Heat of Liquid and Vapor and Latent Heat of Vaporization, by R. M. Buffington and J. Fleischer, Ind. Eng. Chem. 23, 1290 (1931).

V. Correlation, Checks and Derived Quantities, by R. M. Buffington and W. K. Gilkey, Ind. Eng. Chem. 23, 1292 (1931).

7. Refrigeration and Refrigerants; Ind. Eng. Chem., 24, 601-630, June (1932). (A collection of papers containing information on various properties, including physical, chemical, toxicity, flammability, corresion and effect on lubricants, of the following refrigerants:

Anhydrous Ammonia, by R. J. Quinn Liquid Carbon Dioxide, by J. H. Pratt Solid Carbon Dioxide, by D, H. Killeffer Dichloromethane and Dichloroethylene, by R. W. Waterfill

Freen, by R. J. Thompson
Methyl Chloride, by J. B. Churchill
Sulphur Dioxide, by C. W. Johnston.)

8. Refrigerating Data Book (See Section II above, item 25. Contains extensive tables on properties of steam, refrigerants, brines, insulating materials and foods.)

A list of the charts of the properties of various refrigerants, with references to the publications in which they may be found, is given in table 1. The chemical name, trade names, chemical formula, normal boiling point and vapor pressure at 86°F of sixteen refrigerants are given in table 2.

LC-419 -8-

Recently several new refrigerants have been developed, which are intended to reduce the hazards involved in case the refrigerant escapes from the refrigerating system. The most important considerations from the standpoint of safety are the fire or explosion hazard and the toxic hazard. These hazards are usually small or negligible with single unit, domestic machines. With multiple apartment systems and the larger refrigerating or air conditioning systems, the safety qualities of the refrigerant are of great importance.

The relative hazards of different refrigerants may be estimated for a particular installation by means of two factors, namely, the amount of refrigerant in the system and the volume of the space into which it may be released. The ratio of these two factors gives, in general, the maximum concentration of the refrigerant vapor within the space, assuming, of course, complete escape of refrigerant and no ventilation. Comparison of this ratio for a particular installation with available data on flammability and toxicity yields information on the relative safety of different refrigerants.

Other factors should also be considered. For example, the working pressure influences the rate of escape. Even in the event of an open break in the system all of the refrigerant rarely escapes rapidly. In the course of time, normal ventilation tends to reduce materially the initial concentration of refrigerant vapor. The odor or irritating character of the refrigerant may serve as a warning. Refrigerants containing chlorine or fluorine decompose when passed through a flame yielding products of decomposition which are irritating and toxic.

all refrigerants may be considered as safe, for all practical purposes, if used under conditions such that the ratio of the amount of refrigerant in the system to the volume of the space into which it might readily escape and be confined, results in concentrations which are neither flammable nor harmful to human life or health.

Data on flammability and toxicity, as usually reported with concentrations in terms of percent by volume, are given in tables 3 and 4. Equivalent values in terms of pounds (weight) per 1000 cubic feet are also given since these values are more convenient for practical purposes. References to data on flammability and toxicity are as follows:

Commence of the second

Public Health Bulletin No. 185, Physiological response attending exposure to vapors of methyl bromide, methyl chloride, ethyl bromide and ethyl chloride (March, 1929) (obtainable from Superintendent of Documents, Government Printing Office, Washington, D. C., 15 cents.)

Underwriters' Labora tories, Miscellaneous Hazard No. 2375,
Report on the life, fire and explosion hazards of
common refrigerants (November, 1933). (Obtainable
from Kinetic Chemicals, Inc., 10th & Market Sts.,
Wilmington, Del., \$2.25.)

Bureau of Mines, Reports of Investigations (R.I.):

(a) R.I. 3013, Toxicity of dichlorodifluoromethane, a new refrigerant (May, 1930).

(b) R.I. 3185, Toxicity of dichlorotetrafluor oethane (October, 1932).

American Chemical Society Monograph No. 35, Noxious Gases, by Henderson, Yandell and Haggard (1927).

LC-419 -10-

Table 1. References to Charts of the Properties of Various Refrigerants.

| Refrig- Co | | | Reference |
|----------------------------------|--------------|-------------------------|--|
| NH3 | H - P | Nat.Bur.Stand- ards | C142, M52, M57, M76 (See Section I for de- scription) |
| CO ₂ | H-S H-P | Mollier | Zs.V.D.I., (I) 48, 271 (1904). |
| co ₂ | H-P | Plank and Kuprianoff | Beiheft, Zs.K.I., Reihe, 1, Heft 1, 1929 (Metric units); also Ref.Eng., 20, 33 (1930) (British units). |
| CO ₂ | T-S H-S | Jenkin and Pye | Phil. Trans. 213A, 361 (1915). |
| S0 ₂ | H-P | Fiske | Ref. Eng., 10, 200 (1923). |
| CH ₃ Cl | T-S H-S | Shorthose | Sp. Report No. 19 (1924); also Ref. Eng., 11, 76 (1924). |
| C ₂ H ₅ Cl | T-S H-S | Jenkin and Shorthose | Sp. Report No. 14 (1923); also Ref. Eng., 10, 316 (1924). |
| CCl ₂ F ₂ | H-P | Lawrence | Ref. Eng., 24, 287 (1932). |

Notation ---- P = absolute pressure

H = Heat content

T = Temperature

S = Entropy

Ref. Eng. = Refrigerating Engineering.

Sp. Report = Special Report of the Food Investigation Board of the Department of Scientific and Industrial Research of Great Britain, 16 Old Queen St., Westminster, S.W. 1, London. Phil. Trans. = Philosophical Transactions of the Royal Society of London.

Zs.V.D.I. = Zeitschrift des Vereines Deutscher Ingenieure. Zs.K.I. = Zeitschrift fur die gesamte Kalte-Industrie.

Table 2. Normal Boiling Foint and Vapor Pressure at 86°F of Sixteen Refrigerants

| Chemical Name | Tra de Name | Formula | Approximate Normal | Approximate Vapor Pres- sure at 86°F Lb/in2(abs.) |
|----------------------------------|--|--|-----------------------|--|
| Carbon Dioxide | The second of th | CÓZ | -109 | 1039 |
| Ethane | | ĆzĤ ₆ | -128 | 681 |
| Ammonia | 4. | NH3 | -28 | 169 |
| Propar,e . | W / | C ₃ H ₈ | -44 | 155 |
| Dichlorodifluoro methane | Freon ² | CCl ₂ F ₂ | -22 | 108 |
| Methyl chloride | Artic ³ | CH3C1 | -11 | . 95, |
| Sulphur dioxide | | șo ₂ | +14 | 66 |
| Isobutane . | Freezol | C_4H_{10} | +10 | 60 |
| Butane | <i>.</i> | C4.H10 | +31 | 42 |
| Dichlorotetra- fluoroethane | F114 | C2C12F4 | 39 | 36 |
| Ethyl chloride | | C ₂ H ₅ Cl | 54 | 27 |
| Trichloromono- fluoromethane4 | Fll | CCl ₃ F | 76 | 18 |
| Methyl formate | | $\mathrm{c}_{\mathrm{2}}\mathrm{H}_{4}\mathrm{o}_{\mathrm{2}}$ | 89 | 14 |
| Dichlorome thane ⁵ | Carrene | CH2Cl2 | 104 | 10 |
| Dichloroethylene | ⁶ Dielina | C2H2Cl2 | 122 | 7 |
| Trichloro- ethylene | Trielene | C ₂ HCl ₃ | 190 | 2 |

^{1.} Also known as carbonic acid gas.

^{2. &}quot; Fl2, Kl2 and Kinetic No. 12.

^{3. &}quot; V-methyl....

^{5. &}quot; " methylene chloride.
6. " acetylene dichloride.

Table 3. Flammable or Explosive Limits of A Refrigerant Vapors Mixed with Air.*

| Refrige rant | Formula | Explosi Percen Volu | t by | Explosive Range pounds per 1000 cu. ft. | | |
|------------------|---|---------------------------|------|---|----------------|--|
| | | Lower Limit | 4 4 | Lower Limit | Upper Limit | |
| Ammonia | $^{ m NH}_3$ | .16. | 25. | 7.1 | 11.1 | |
| Butane | $^{\mathrm{C_4H}}_{\mathrm{10}}$ | 1.6 | 6.5 | 2.4 | 9.8 | |
| Dichlorpethylene | C2H2C12 | 5.6 | 11.4 | 14.1 | 28.7 | |
| Ethane | C ₂ H ₆ | 3.3 | 10.6 | 2.6 | 8.3 | |
| Ethyl chloride | c ₂ H ₅ cl | 3.7 | 12.0 | 6.2 | 20.1 | |
| Methyl chloride | CH3C1 | 8.1 | 17.2 | 10.6 | 22.6 | |
| Methyl formate | $^{\mathrm{C}_{2}\mathrm{H}_{4}\mathrm{O}_{2}}$ | 4.5 | 20. | 7.0 | 31. | |
| Propane | ^C 3 ^H 8 | 2.3 | 7.3 | 2.6 | 8.4 | |

The following refrigerants have been found to be non-flammable at ordinary temperatures:

| Carbon dioxide | 002 |
|---------------------------------|---------------------------------|
| Dichlorodifluoro- methane | ${\tt CCl}_2{\tt F}_2$ |
| Dichloromethane | CH ₂ Cl ₂ |
| Dichlorotetra- fluòroethane | $\mathrm{C_2Cl_2F_4}$ |
| Sulphur dioxide | so ₂ |
| Trichlor octhylene | C_2HCl_3 |
| Trichloromono- fluoromethane | CCl ₃ F |

^{*} Based upon data given in Underwriters' Laboratories, Miscellaneous Hazard No. 2375.

Table 4. Toxicity of Refrigerent Vapors

| Ro Refrigerant er | Kills Most efer- Animals nce in Very Short Time | Danger- ous in 1/2 to 1 Hour | for l Hour Without Serious | toms after Several Hours or Maximum |
|----------------------|--|---------------------------------------|-------------------------------------|---|
|----------------------|--|---------------------------------------|-------------------------------------|---|

Concentration (Percent by volume)

| Sulphur dioxide Anmonia Methyl chloride Ethyl chloride Carbon dioxide Methyl formate Dichloroethy- | 1 1 1 1 2 | 0.5-1.0 15-30 | 0.25-0.45 2-4 | 0.005-0.02 0.03 0.7 4.0 4-6 | 0.001 0.01 0.05-0.10 2.0 2-3 |
|--|-----------------------|------------------|------------------|---|--|
| lene | 2 | | 2 | | |
| Dichloromethane | 2 | | 5 | | |
| Trichloromono- fluoromethane | 2 | | 10 | | |
| Dichloretetra- | ۵ | | 10 | | |
| fluorcethane | 3 | | 20 | | |
| Dichlorodiflu- | | | | | |
| orome thane | 2 | | 30 | | |

Concentration (pounds of refrigerant per 1000 cu. ft.)

| Sulphur dioxide | 1 | 0.3 | 0.07-0.08 | 0.008-0.03 | 0.002 |
|------------------|---|---------|-----------|------------|------------|
| Ammonia | 1 | 0.2-0.4 | 0.1-0.2 | 0.01 | 0.004 |
| Methyl chloride | 1 | 20-40 | 2.6-5.2 | 0.9 | 0.065-0.13 |
| Ethyl chloride | 1 | 25-50 | 10-17 | 6.6 | 3.3 |
| Carbon dioxide | 1 | 34 | 7-9 | 4.5-7 | 2.3-3.4 |
| Methyl formate | 2 | | 3 | | |
| Dichloroethylene | 2 | | 5 | | |
| Dichloromethane | 2 | | 11 | | |
| TrichloroMono- | | | | | |
| fluoromethane | 4 | | 36 | | |
| Dichlorotetra- | | | | | |
| fluoroethane | 3 | | 89 | | |
| Dichlorodi- | • | | | | |
| fluoromethane | 2 | | 94 | | |
| 220010110110110 | _ | | - | | |

Reference: (1) Public Health Bulletin No. 185

- (2) Underwriters' Laboratories" Miscellaneous Hazard No. 2375.
- (3) Bureau of Mines, Reports of Investigation R.I. 3185.

.. , f

en la companya de la



